



中国认可
检测
TESTING
CNAS L3788

Analytical Report

Sample Code	502-2021-00064860	Report date	08-Jul-2021
Certificate No.	AR-21-SU-054472-01-EN		



CERES - Certification of Environmental Standards -
GmbH
Vorderhaslach Nr. 1 D-91230
Happurg Germany

Our reference:	502-2021-00064860/ AR-21-SU-054472-01-EN
Client Sample Code:	5OGB05 (COI sampling)
Sample described as:	ORGANIC GOJI BERRIES
Sample Packaging:	Sealed plastic bag
Sample reception date:	02-Jul-2021
Analysis Starting Date:	04-Jul-2021
Analysis Ending Date:	07-Jul-2021

Arrival Temperature (°C)	23.6	Sample Weight	300g*3
Sample Type	Solid		

	Results	Unit	LOQ	LOD
Δ# SU304	Nicotine Method: Internal Method (ESS-TP-2265 V6 2017)			
	Accreditation: DAKKS: D-PL-14292-01-00 & CNAS: L3788			
	Nicotine	<LOQ	mg/kg	0.01
Δ# SU30P	Glyphosate, Glufosinate, AMPA Method: USGS Techniques and Methods 5-A10			
	Accreditation: DAKKS:D-PL-14292-01-00&CMA:151000140291&CNAS:L3788			
	Aminomethylphosphonic acid (AMPA)	<LOQ	mg/kg	0.01
	Glufosinate	<LOQ	mg/kg	0.01
	Glyphosate	<LOQ	mg/kg	0.01
# SUS09	Pesticide Screening(GC) Method: BS EN 15662:2018			
	Accreditation: DAKKS:D-PL-14292-01-00&CMA:151000140291&CNAS:L3788			
	Screened pesticides	<LOQ	mg/kg	
# SUS15	Pesticide Screening(LC) Method: BS EN 15662:2018			
	Accreditation: DAKKS:D-PL-14292-01-00&CMA:151000140291&CNAS:L3788			
	Screened pesticides	<LOQ	mg/kg	
# SU11Q	Acidic Pesticides Method: BS EN 15662:2018			
	Accreditation: DAKKS:D-PL-14292-01-00&CMA:151000140291&CNAS:L3788			
	2,4,6-Trichlorophenol	<LOQ	mg/kg	0.01
Δ 2,4-D		<LOQ	mg/kg	0.01
Δ 2,4-D, total	N/A			
Δ 2,4-DB		<LOQ	mg/kg	0.01
	3,6-Dichloro-2-hydroxy- benzoic acid	<LOQ	mg/kg	0.01
	Clodinafop	<LOQ	mg/kg	0.01
	Cyhalofop	<LOQ	mg/kg	0.01
Δ Fluazifop		<LOQ	mg/kg	0.01
Δ Haloxyfop		<LOQ	mg/kg	0.01
Δ MCPA		<LOQ	mg/kg	0.01
	Meptyldinocap	<LOQ	mg/kg	0.01

Eurofins Tech. Service (Suzhou) Co., Ltd.
No. 101, Jialingjiang Road, SND
Suzhou 215000
Jiangsu Province, P. R. China

Phone +86 400 828 5088
Fax
www.eurofins.cn



DAkkS
Deutsche
Akkreditierungsstelle
D-PL-14292-01-00

	Results	Unit	LOQ	LOD
Δ Prothioconazole	<LOQ	mg/kg	0.01	
	Results	Unit	LOQ	LOD
Δ# SU203 Sulfur dioxide Method: GB 5009.34-2016 Accreditation: DAKKS:D-PL-14292-01-00&CMA: 151000140291&CNAS:L3788 Sulphur dioxide (SO ₂)	< 10	mg/kg	10	3

List of screened molecules (* = limit of quantification)

SUS09	Pesticide Screening(GC) (211 parameters)(LOQ* mg/kg)			
Δ 2-Phenylphenol (0.01)	Δ Acetachlor (0.01)	Δ Adiantol (0.01)	Δ Aldrin (0.01)	Δ Anisothiaz (0.01)
Δ Azadirachtin (0.01)	Δ Atrazine (0.01)	Δ Bentazone (0.01)	Δ Bifenthrin (0.01)	Δ Anthracene (0.01)
Δ Bromfenoxim (0.01)	Δ Bromophos (0.01)	Δ Bromophos-ethyl (0.01)	Δ Bromopropylate (0.01)	Δ Bifenox (0.01)
Δ Butenafol (0.01)	Δ Cadusafos (0.01)	Δ Captan (0.01)	Δ Captan/HP (Sum calculated as Captan) (0)	Δ Butachlor (0.01)
Δ Carbophenothion-methyl (0.01)	Δ Carbofen (0.01)	Δ Chlorobenzene (0.01)	Δ Chlorobenzene (0.01)	Δ Carbophenothion (0.01)
Δ Chlorfenvinphos (0.01)	Δ Chlorfenvinphos (0.01)	Δ Chlorobenzene (0.01)	Δ Chlorobenzene (0.01)	Δ Chlorobenzene (0.01)
Δ Chlorprophos (0.01)	Δ Chlorprophos (0.01)	Δ Chlorobenzene (0.01)	Δ Chlorobenzene (0.01)	Δ Chlorobenzene (0.01)
Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)
Δ Cypermethrin (0.01)	Δ Cypermethrin (0.01)	Δ DDE, p,p'- (0.01)	Δ DDE, p,p'- (0.01)	Δ Cyfluthrin (0.01)
Δ DDT (Sum) (0)	Δ DDT, p,p'- (0.01)	Δ DDT, p,p'- (0.01)	Δ DDT, p,p'- (0.01)	Δ DDE, p,p'- (0.01)
Δ Dichlorodiphenyl ether (0.01)	Δ Dichlorodiphenyl ether (0.01)	Δ Dichlorodiphenyl ether (0.01)	Δ Dichlorodiphenyl ether (0.01)	Δ Dichlorodiphenyl ether (0.01)
Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)
Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)
Δ Endosulfan (0.01)	Δ Endosulfan (0.01)	Δ Endosulfan (0.01)	Δ Endosulfan (0.01)	Δ Endosulfan (0.01)
Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)
Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)
Δ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0)	Δ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)	Δ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)	Δ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)	Δ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)
Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)
Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)
Δ HCH, delta- (0.01)	Δ HCH, delta- (0.01)	Δ HCH, delta- (0.01)	Δ HCH, delta- (0.01)	Δ HCH, delta- (0.01)
Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)
Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)
Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)
Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)
Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)
Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)
Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)
Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)
Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)
Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)
Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)
Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)
Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)
Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)
Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)
Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)
SUS15	Pesticide Screening(LC) (358 parameters)(LOQ* mg/kg)			
Δ 2,4-Dichlorophenoxyacetic acid (0.01)	Δ 2,4-Dichlorophenoxyacetic acid (0.01)	Δ 2,4-Dichlorophenoxyacetic acid (0.01)	Δ 2,4-Dichlorophenoxyacetic acid (0.01)	Δ 2,4-Dichlorophenoxyacetic acid (0.01)
Δ Acetamiprid (0.01)	Δ Acetamiprid (0.01)	Δ Acetamiprid (0.01)	Δ Acetamiprid (0.01)	Δ Acetamiprid (0.01)
Δ Aldicarb (Sum) (0)	Δ Aldicarb (Sum) (0)	Δ Aldicarb (Sum) (0)	Δ Aldicarb (Sum) (0)	Δ Aldicarb (Sum) (0)
Δ Atrazine (Sum) (0)	Δ Atrazine (Sum) (0)	Δ Atrazine (Sum) (0)	Δ Atrazine (Sum) (0)	Δ Atrazine (Sum) (0)
Δ Azinphos (0.01)	Δ Azinphos (0.01)	Δ Azinphos (0.01)	Δ Azinphos (0.01)	Δ Azinphos (0.01)
Δ Bendiocarb (0.01)	Δ Bendiocarb (0.01)	Δ Bendiocarb (0.01)	Δ Bendiocarb (0.01)	Δ Bendiocarb (0.01)
Δ Bifenthrin (0.01)	Δ Bifenthrin (0.01)	Δ Bifenthrin (0.01)	Δ Bifenthrin (0.01)	Δ Bifenthrin (0.01)
Δ Bromoxynil (Sum) (0)	Δ Bromoxynil (Sum) (0)	Δ Bromoxynil (Sum) (0)	Δ Bromoxynil (Sum) (0)	Δ Bromoxynil (Sum) (0)
Δ Butachlor (0.01)	Δ Butachlor (0.01)	Δ Butachlor (0.01)	Δ Butachlor (0.01)	Δ Butachlor (0.01)
Δ Carbendazim (0.01)	Δ Carbendazim (0.01)	Δ Carbendazim (0.01)	Δ Carbendazim (0.01)	Δ Carbendazim (0.01)
Δ Chlorantraniliprole (0.01)	Δ Chlorantraniliprole (0.01)	Δ Chlorantraniliprole (0.01)	Δ Chlorantraniliprole (0.01)	Δ Chlorantraniliprole (0.01)
Δ Chlorprophos (0.01)	Δ Chlorprophos (0.01)	Δ Chlorprophos (0.01)	Δ Chlorprophos (0.01)	Δ Chlorprophos (0.01)
Δ Chlorpyrifos (0.01)	Δ Chlorpyrifos (0.01)	Δ Chlorpyrifos (0.01)	Δ Chlorpyrifos (0.01)	Δ Chlorpyrifos (0.01)
Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)	Δ Cyfluthrin (0.01)
Δ Cypermethrin (0.01)	Δ Cypermethrin (0.01)	Δ Cypermethrin (0.01)	Δ Cypermethrin (0.01)	Δ Cypermethrin (0.01)
Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)	Δ Dieldrin (0.01)
Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)	Δ Disulfoton (0.01)
Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)	Δ Fenitrothion (0.01)
Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)	Δ Fenprophos (0.01)
Δ Fenvalerate (0.01)	Δ Fenvalerate (0.01)	Δ Fenvalerate (0.01)	Δ Fenvalerate (0.01)	Δ Fenvalerate (0.01)
Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)	Δ Fluorfenoxim (0.01)
Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)	Δ Formothion (0.01)
Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)	Δ Heptachlor (0.01)
Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)	Δ Isodiazinon (0.01)
Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)	Δ Malathion (Sum) (0)
Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)	Δ Methyl-Parathion (0.01)
Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)	Δ Nitrofen (0.01)
Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)	Δ Oxydemeton (0.01)
Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)	Δ PCB 118 (0.01)
Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)	Δ Pentachloronitrobenzene (0.01)
Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)	Δ Phenthoate (0.01)
Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)	Δ Phosphorothion (0.01)
Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)	Δ Propazine (0.01)
Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)	Δ Pyrimethanil (0.01)
Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)	Δ Sulfotol (0.01)
Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)	Δ Tetradifol (0.01)
Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)	Δ Triazophos (0.01)
Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)	Δ Vinclozolin (0.01)



The image shows three bags of red goji berries, each with a white inspection label from Eurofins. The bags are labeled '20X32CM' and '20X42CM'. The labels contain handwritten information in blue ink, including sample details, location (Singapore), and inspector (Daniel Ma). The bags are also marked with 'INSPECTED' and 'NO. EF 35175'.

Bag 1 (Left): 20X32CM. Label: eurofins, Sample No. 201-201-001-01, Sample Desc. Organic Goji Berries, Batch Lot No. 50885, Factory Name: Singapore Bio-Science, Location: Singapore, Inspector: Daniel Ma, Date of Sampling: 1-Jul-2014.

Bag 2 (Middle): 20X42CM. Label: eurofins, Sample No. 201-201-001-01, Sample Desc. Organic Goji Berries, Batch Lot No. 50885, Factory Name: Singapore Bio-Science, Location: Singapore, Inspector: Daniel Ma, Date of Sampling: 1-Jul-2014.

Bag 3 (Right): 20X32CM. Label: eurofins, Sample No. 201-201-001-01, Sample Desc. Organic Goji Berries, Batch Lot No. 50885, Factory Name: Singapore Bio-Science, Location: Singapore, Inspector: Daniel Ma, Date of Sampling: 1-Jul-2014.

SIGNATURE



Claire Wang
Authorized Signatory



Sandra Shen
Authorized Signatory

EXPLANATORY NOTE

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Suzhou) Co., Ltd

END OF REPORT

